

## ContainerPower Energy Solutions

# Pure sine wave inverter dimensions



51.2V  
200Ah/300Ah  
LiFePO4 battery



## Overview

---

A: The inverter weighs 5.6 pounds and measures 12.2 inches long, 7.4 inches wide, and 3.3 inches high. Q: What is the warranty period for the inverter?

A: The manufacturer's warranty for both parts and labor on the Renogy 700W 12V Pure Sine Wave Inverter is 2 years.

A: The inverter weighs 5.6 pounds and measures 12.2 inches long, 7.4 inches wide, and 3.3 inches high. Q: What is the warranty period for the inverter?

A: The manufacturer's warranty for both parts and labor on the Renogy 700W 12V Pure Sine Wave Inverter is 2 years.

Inverters provide quiet, convenient, and pollution free AC power. Magnum-Dimensions RE models ranging from our entry-level 600 watt MM-AE Series to the MS-PAE Series with up to a 17,600 watt output. Many of our inverter / chargers come in 12, 24, and 48-volt options. And we have added.

DC Connections: DC Lugs (no expensive ring terminal required) AC Connections: Vertical push-in connections only (no GFCI) AC Knockouts: Removable by hand Remote Control Panel: Full control (same as on-board control) RV-C Compatible: Yes Pure Sine Wave. AC Switching Voltage: 95-135 VAC DC Input.

The Magnum-Dimensions CSW Series inverter from Sensata Technologies is a pure sine wave inverter designed to be powerful, yet simple to operate. The CSW will provide you with reliable AC power for troublefree use. The CSW provides pure sine wave power from a small footprint designed to fit in tight.

All industrial pure sine wave inverters are available in 12 volt or 24 volt versions. Go Power! Heavy-Duty Modified Sine Wave Inverters Watch product troubleshooting videos, read the latest in company updates, and stay up-to-date on trade-shows and events. Use the informative tables here to perform.

Product Height: 3.3 inches (The out of box height of the item. Height is measured as the vertical distance from the bottom of the item to the top as it

would be primarily used or placed.) Product Width: 7.4 inches (The out of box width of the item. Width is measured as the horizontal distance from.

AIMS has 2000W & 1200W (w/o GFCI) Built in charger and transfer switch, 3x surge. Charger and transfer switch can be turned off if not needed. Different footprint. 600W vs. 400W. Size, weight and footprint 600W vs. 400W, built in charger and transfer switch, 3x surge. Charger and transfer switch.

## Pure sine wave inverter dimensions

---

## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:  
<https://websparafotografos.es>